


SEALING SOLUTIONS









MONDO Geal RECOMMENDED APPLICATION



RECOMMENDED USE

- Sealing Corners
- Stairs
- Joint Cornice
- · Sealing Baseboards

RECOMMENDED USE

- Pre-Cast Concrete Panels
- Brick and Block Works, Marble, Granite and GFRC (Glass Fiber Reinforced Concrete) Facade
- Floor Gaps
- · Window Cladding



Mondo Seal^{\mathbb{M}} **Weather Seal**^{\mathbb{M}} is a premium 100% silicone sealant for exterior and interior use. It is specially formulated for construction sealing requirements.

Properties and benefits:

- Excellent weather and UV radiation resistance properties
- Cures to a permanent flexible silicone rubber, providing excellent waterproofing protection.
- Outstanding adhesion to various materials such as concrete, glass, ceramics, metals and plastics.


Applications:



GUTTER



GLASS WINDOW



ALUMINUM CLADDING



METAL ROOF

Available colors: MS-100 Clear, MS-100 White, MS-100 Black,

MS-100 Gray & MS-100 Bronze





100% SILICONE SEALANT ANTI-MILDEW • ANTI-FUNGUS • ANTI-BACTERIA

Mondo Seal[™] **Sanitary**[™] is a premium 100% silicone sealant for exterior and interior use. It is specially formulated to resist growth of mildew and fungus, making it ideal for areas frequently exposed to moisture, such as kitchen, bathroom, etc.

Properties and benefits:

- · Special fungicidal additives that helps inhibit the growth of bacteria, fungus and mildew.
- Excellent weather and UV radiation resistance.
- Outstanding flexibility, stays flexible throughout its lifespan.
- Excellent adhesion to wide range of construction materials, such as concrete, glass, metal, PVC pipes, etc.

Applications:





BATHTUB



SHOWER GLASS





JOINT SEALANT • CRACK FILLER • PAINTABLE


Mondo Seal[™] **GapFree**[™] is a painters' friendly sealant which is paintable. It is suitable for interior use to fill small gaps in cornices, baseboards, wall joints, cabinets, door & window frames.



Properties and benefits:

- Paintable
- · Odor-less and low VOC
- · Non-sag and good tooling properties.
- Excellent adhesion to most unprimed surfaces such as concrete, wood, glass, plaster board, etc.

Applications:




SEALING CORNERS



STAIRS



JOINTS CORNICE



SEALING BASEBOARDS

Available color: MS-300 White



RECOMMENDED APPLICATION

APPLICATION	MS-100 Weather Seal™	MS-200 Sanitary	MS-300 GapFree™	MS-800 Hybrid Sealant
Interior	•	•	•	•
Weatherseal	•			•
Sanitary		•		
Sealing	•		•	•
Gap-filling			•	•
Plumbing	•			•
Connecting joints	•			•
Windows & Doors	•		•	•

Preparation: Ensure that all surfaces where the sealant will be applied are clean, dry, and should be free of loose materials and contaminants.

How to use: (MS-100, MS-200, MS-300)









CUT TIP OFF

ATTACH NOZZLE

PLACE IN SEALANT GUN

How to use: (MS-800)



PLACE THE SAUSAGE INSIDE GUN BARREL THEN CUT THE TIP THEN CLOSED



ATTACH NOZZLE THEN CUT THE TIP OFF



PLACE IN SEALANT GUN

Best use before: 1 year after manufacturing date. The product may still be usable after the date but must be checked for quality use. Store in a dry and well ventilated area and out of direct sunlight.

After use: Do not dispose in drains and sewers. Follow local and national regulations in disposing any materials.



Davies Paints Philippines, Inc. 1415 A. Sandoval Ave., cor. Mercedes Ave., San Miguel, Pasig City 1600, Philippines







